



# XPR EXTENDED RANGE



Farther. Deeper. Beyond.

**mares | XPR**

# XR

## EXTENDED RANGE.



# EXTENDED EMOTIONS.

**Extend your range, experience new emotions,  
advance a bit farther.  
Don't you think it's time for a little something extra?**

We are naturally inclined to be curious and adventurous. You've made it this far after all. Exploring the depths of the ocean realm. Seeking the excitement of what's to come. Just below the water's surface lies a new adventure each and every time. Although, perhaps you've considered going just a little farther, a bit deeper, or beyond the boundaries you've been before?

Mares is here to discover this along your side. Offering new products that extend your range and limits, to go places you've only dreamed of. The opportunities are infinite, new emotions are endless, and it's just at your fingertips.

It's time we go, don't you think?



# XR

## ADVANCE YOUR PASSION



**SSI Extended Range ITD**  
**Andreas - Europe**

**“extended range is a real breakthrough: the gateway to a completely different world”**

I have more than 17 years of Extended Range experience, diving all over the world, including many experiences in deep advanced wreck penetration.

More recently, I've been involved in the development and testing of the MARES XR Equipment.

Most dives were beyond recreational limits, I could always rely 100% on my Mares XR equipment.

Definitely the right choice for all students and professionals looking to extend their range.

# INTO A NEW EXPERIENCE.

**Diving Instructor**  
**Stina - Europe**

As a diving Instructor, I'm always looking for new options to enrich the knowledge that I pass on to my students, thus helping them learn and train through new adventures like extended dive length or cavern exploration.

So having started attending XR courses as a student and been surprised about how much farther and beyond this has moved my diving skills which made me a better diver but also instructor.

Soon I will do the next step to become XR Nitrox Instructor in order to share my experiences with future students.

**“no one knows what he can do  
until he decides to try”**



# XR

## EXTEND YOUR LIMITS.

**“life is all about facing  
new challenges”**

**SSI Extended Range IT  
Cat - Africa**

As manager and daily trainer of divers and instructors into the so-called “technical” world through one of the world’s largest dedicated extended range facilities, I have used MARES XR equipment on a daily basis and it has never failed even in the most demanding environments.





**Extreme Extended Range Explorer  
Ben - Asia**



## **“are you ready for much deeper emotions?”**

Most of my diving, is done in caves or extreme depths. With over 20 years of technical diving experience and teaching tech diving I've used many different kinds and brands of diving equipment, but the simplicity, sturdiness and innovative design of the MARES XR Range has proven to be one of the most reliable to accompany my explorations and adventures.

The development team at Mares has truly listened and learned from industry veterans to redefine the term technical diving equipment.



# XPR

## EXTEND YOUR EQUIPMENT







# ADVENTURE BEYOND.

**High quality Equipment  
is instrumental in achieving  
your goals.**

Extended Range is a pathway to exploring the extraordinary. Mares developed a new line of equipment to bridge the gap from taking your first step in XR to the most challenging of explorations. No compromises necessary as you advance from the beginning to your end goal. A single product line of equipment flexible enough to accommodate the recreational to the most challenging explorations.

# REGULATORS

## DR SECOND STAGE

- VORTEX ASSISTED
- NEW DESIGNED MESH GRID

### MAIN FEATURES

- HIGH-PERFORMANCE SECOND STAGE
- IMPROVED VERY STABLE FLOW WITHOUT EXCESSIVE POSITIVE-PRESSURE BREATHING
- NO NEED FOR USER ADJUSTMENTS
- COMPACT AND RUGGED – ALL METAL BODY IS MADE FROM HIGH-IMPACT CHROME- AND NICKEL-PLATED BRASS
- SLIGHTLY NEGATIVELY BUOYANT
- STRONG AND RESISTANT, IDEAL FOR SCOOTERING, DEEP, COLD AND WRECK DIVING
- COLD WATER RESISTANT
- COVER DESIGN DISPERSES WATER FLOW AROUND THE SECOND-STAGE DIAPHRAGM AND REDUCES THE FREE FLOWS
- EASY-TO-PUSH PURGES

### TECHNICAL FEATURES

DR	All-metal (nickel and chrome plated brass) second stage	Standard downstream valve
Flow Rate [STP]	620 l/min – 22 cuft/min	
Weight (without hose)	269g / 9.6 oz	
Hose length	56cm / 22 inches - 210cm / 7ft	



code: **416402 25X with DR - Full Tek Set**

This set includes:

- 2 DR Second Stages
- 2 25XR First Stages
- 2 Hoses (56 cm - 210 cm)
- 1 Neck Bungee

# REGULATORS

## CR SECOND STAGE

- VORTEX ASSISTED
- NEW DESIGNED SOFT COVER



code: 416403 25X with CR - Full Tek Set

This set includes:

- 2 CR Second Stages
- 2 25XR First Stages
- 2 Hoses (56 cm - 210 cm)
- 1 Neck Bungee

### MAIN FEATURES

- HIGH-PERFORMANCE SECOND STAGE
- IMPROVED VERY STABLE FLOW WITHOUT EXCESSIVE POSITIVE-PRESSURE BREATHING
- NO NEED FOR USER ADJUSTMENTS
- SLIGHTLY NEGATIVELY BUOYANT
- COVER DESIGN DISPERSES WATER FLOW AROUND THE SECOND-STAGE DIAPHRAGM AND REDUCES THE FREE FLOWS
- EASY-TO-PUSH PURGES
- CAN BE OPENED UNDER WATER - IDEAL FOR CAVE AND COLD DIVING

### TECHNICAL FEATURES

CR	Technopolymer second stage	Standard downstream valve
Flow Rate (STP)	560 l/min - 20 cuft/min	
Weight (without hose)	193g / 7 oz	
Hose length	56cm / 22 inches - 210cm / 7ft	



# REGULATORS

## 25X FIRST STAGE

code: 416400 25X First stage FML (Left & Right)

- FULL METAL BODY
- NICKEL-PLATED MARINE BRASS
- COMPACT, SOLID ONE-PIECE BODY
- BALANCED DIAPHRAGM - DFC
- NEW TRI-MATERIAL VALVE - ADVANCED COATING TECHNOLOGY
- DRY COLD WATER KIT
- DIN ONLY
- TRIMIX, HELIOX, HELITROX USE DOWN TO 150M
- 2 MP PORTS (3/8" UNF) ALL ANGLED DOWNWARD
- 1 HP PORT (FML: FLOW MADE LATERAL) POWERED (7/16" UNF)



### MAIN FEATURES

- EXTREME RELIABILITY - HIGHEST SAFETY
- MAXIMIZED BREATHING COMFORT
- EXTREME DEPTH, ENGAGED DIVES & MIXED GAS DIVING (HELIUM, O2, NITROGEN)
- PERFECT MP HOSES POSITIONING - NO USELESS PORT - OFFERING PERFECT, SNAG-FREE HOSE POSITIONING.
- FOR TWINSET USE BUT EQUALLY SUITABLE FOR SINGLE OR STAGE CYLINDER CONFIGURATIONS
- [FML: FLOW MADE LATERAL] CONCEPT FOR HP
- DUAL CONFIGURATION: FITS ALL CERTIFYING AGENCIES FROM RSTC TO DIR DIVERS AND ALL TEC USES INCLUDING CAVE
- MINIMIZED RISK OF ACCIDENTAL SNAGGING + NO HOSE KINKING + EASIER ACCESS TO THE MANIFOLD VALVES.
- ENVIRONMENTAL DRY SYSTEM = KEEPING WATER OUT OF THE MAIN SPRING CHAMBER + PREVENTING ICE BUILDUP + KEEPING SILT AND CONTAMINATION OUT
- COLD WATER RESISTANT

### TECHNICAL FEATURES

25XR	All-metal (nickel and chrome plated brass) first stage	Balanced diaphragm mechanism
Flow Rate at end of one 210cm/7ft long low pressure hose (STP)	1200 l/min - 42 cuft/min	
Static intermediate pressure (0-300bar/4350psi supply pressure)	8.8-9.4bar / 127-136psi	
Dynamic Flow Control (DFC)	Up to 9.9bar / 144psi	
High pressure ports	1 (7/16" UNF)	
Low pressure ports	2 (3/8" UNF)	
Of which DFC ports	1	
Weight	DIN: 758g / 27oz	

# REGULATORS

## R2S-VR REGULATOR

code: 416401 VR Vertical Stage Regulator 100% O2

- THE FIRST VERTICAL SECOND STAGE EVER
- MOUNTED WITH OUR EXTREMELY RELIABLE R2S FIRST STAGE
- AVAILABLE IN AIR (A) AND 100% O2 (B) VERSIONS

### MAIN FEATURES

#### SECOND STAGE

- EXCELLENT BREATHING POSITION
- UNIQUE BUBBLE EXHAUSTING
- IDEAL FOR STAGE DECOMPRESSION GAS OR TRAVEL GAS

#### FIRST STAGE

- VERY SIMPLE AND RELIABLE
- EASY TO CLEAN AND MAINTAIN
- COMPACT

### TECHNICAL FEATURES

VR	Technopolymer second stage	Standard downstream valve
Flow Rate [STP]	560 l/min – 20 cuft/min	
Weight (without hose)	199g / 7 oz	
Hose length	100cm / 40 inches - 110cm / 44 inches	



## REGULATORS

### OVER PRESSURE RELIEF VALVE

code: 416404 Over Pressure Relief Valve

- STANDARD LP PORT THREAD, 3/8 UNF
- SET TO 13BAR, NOMINALLY, WITH +/-0.5BAR TOLERANCE
- CHROME PLATED BRASS
- STANDARD REGULATOR SPRING



### NECK REGULATOR BUNGEE

code: 415763 Neck Regulator Bungee


- SILICONE REGULATOR NECKLACE
- ATTACHES EASILY TO ANY REGULATOR 2ND STAGE MOUTHPIECE
- ALLOWS REGULATOR TO HANG CLOSE UNDER THE CHIN
- KEEP YOUR SECOND STAGE WHERE YOU NEED IT
- DURABLE, NO MEMORY SILICONE



#### COLOUR VARIATIONS



BK



YL



## GAUGES

### INSTRUMENT SPG52

code: 414600 Instrument SPG52 - 56cm hose - BAR

code: 414600 Instrument SPG52 - 56cm hose - PSI

code: 414601 Instrument SPG52 - 15cm Miflex - BAR

code: 414601 Instrument SPG52 - 15cm Miflex - PSI

code: 414602 Instrument SPG52 - 15cm Miflex Oxygen - BAR

code: 414602 Instrument SPG52 - 15cm Miflex Oxygen - PSI

- SPG WITH GRADUATION RANGE 0-360 BAR, 0-5000 PSI
- SINGLE READING
- TEMPERED GLASS
- LUMINESCENT "GLOW IN THE DARK" SCREEN
- 56CM RUBBER HOSE OR 15 CM MILFLEX CARBON/TITANIUM BLACK HOSE
- 60% OXY OR 100% OXY (OXY CLEAN)
- CERTIFIED ACCORDING TO EN 250

#### MAIN FEATURES

- STUDIED FOR TECHNICAL DIVERS AND TOP QUALITY REGS
- DOUBLE CHROME MIRROR PLATED CASE TREATMENT: ASSURE THE BEST LOOKING AND MAXIMUM PROTECTION AGAINST CORROSIONS.
- BRASS HOUSING WITH TEMPERED GLASS FOR EXTREME DURABILITY + CHANCE TO USE WITH NO COVER PROTECTION DUE TO DOUBLE WELDING
- COPPER BERYLLIUM BOURDON TUBE MECHANISM THAT NEVER GOES OUT OF CALIBRATION EVEN WITH HARD SHOCK.
- GREATEST DEGREE OF ACCURACY AND RELIABILITY.
- PREFERRED FOR ITS SIMPLICITY BY MANY TECHNICAL DIVERS WHO FOLLOW DIR TRAINING PHILOSOPHY.
- WE OFFER A TOTAL OF 6 OPTIONS TO FIT ALL TECHNICAL REQUIREMENTS

#### TECHNICAL FEATURES

Weight	210 g	7.40 oz
Diameter	52 mm	2"



# HARNESS

## HARNESS

A. code: **417501 Harness Heavy Duty Complete**

B. code: **417516 Heavy Duty Complete Mounted System**

### MAIN FEATURES

#### A. INCLUDES:

##### WEBBING

- 3,5 M WEBBING WITH CENTER HOLE AND GRUMMET
- 3 ELASTIC LOOP RETAINER 40MM
- 1,5M CROTCH STRAP

##### HARNESS

- 2 X BENT D-RING 50MM STAINLESS STEEL
- 2 X STRAIGHT D-RING 50MM STAINLESS STEEL
- 4 X 3-BAR SLIDES NORMAL STAINLESS STEEL W MARES LOGO
- 2 X 3-BAR SLIDES TOOTHED STAINLESS STEEL W MARES LOGO
- 1 X WAIST BUCKLE STAINLESS STEEL W MARES LOGO

##### CROTCH STRAP

- 2 X STRAIGHT D-RINGS 50MM STAINLESS STEEL
- 1 X 3-BAR GLIDES 50MM STAINLESS STEEL WITH MARES LOGO
- DIR – HOGARTHIAN CONFIGURATION

#### B. INCLUDES:

**417501 Harness Heavy Duty Complete (A.) +**  
**417507 Backplate Stainless Steel 3mm**



A

B

# HARNESS

## HARNESS

A. code: **417502 Harness Heavy Light Complete**

B. code: **417517 Heavy Light Complete Mounted System**

### MAIN FEATURES

#### A. INCLUDES:

##### WEBBING

- 3,5 M WEBBING WITH CENTER HOLE AND GRUMMET
- 3 ELASTIC LOOP RETAINER 40MM
- 1,5M CROTCH STRAP

##### HARNESS

- 2 X BENT D-RING 50MM BLACK ALU.
- 2 X STRAIGHT D-RING 50MM BLACK ALU.
- 4 X 3-BAR SLIDES NORMAL BLACK ALU. W MARES LOGO
- 2 X 3-BAR SLIDES TOOTHED BLACK ALU. W MARES LOGO
- 1 X WAIST BUCKLE BLACK ALU. W MARES LOGO

##### CROTCH STRAP

- 2 X STRAIGHT D-RINGS 50MM BLACK ALUMINUM
- 1 X 3-BAR GLIDES 50MM BLACK ALUMINUM W MARES LOGO
- DIR – HOGARTHIAN CONFIGURATION

#### B. INCLUDES:

**417502 Harness Heavy Light Complete (A.) +**  
**417508 Backplate Aluminum 3mm**





# HARNESS

## CARGO POCKET

code: 417505 Cargo Pocket

- 1200D "BULLETPROOF" BALLISTIC NYLON
- LARGE MAIN VOLUME POCKET WITH ZIPPERED CLOSURE
- INTERNAL BUNGEE CORD
- INTERNAL STAINLESS STEEL D-RING
- SMALL FRONT COMPARTMENT POCKET WITH ZIPPERED CLOSURE
- 2 LARGE WEB LOOPS TO SLIDE OVER A BC LOBE
- 2 SMALLER WEB LOOPS TO SLIDE OVER STANDARD 2" WAISTBAND WEBBING.
- 2 BOTTOM DRAIN GROMMETS



### MAIN FEATURES

- UNPARALLELED VERSATILITY DUE TO ITS MODULAR NATURE
- A HIGHLY TECHNICAL RIG FOR THOSE TRAINED TO PUSH THE LIMITS
- CAN ALSO BE SCALED DOWN TO MAKE A TRAVEL FRIENDLY SET UP SUITABLE FOR ANY DIVER.
- DESIGNED TO COMPLEMENT THE RX RANGE
- CAN BE ATTACHED TO YOUR XR HARNESS OR ANY OTHER

## MASK POCKET

code: 417506 Mask Pocket

- 1200D "BULLETPROOF" BALLISTIC NYLON
- 600D POLYESTER WEB GRID
- LARGE AND EXPANDABLE FOLDING
- INNER RE-INFORCEMENT IN BLACK POLYURETHANE
- 1 OVERSIZED CLIP
- LONG NYLON STRAP ALLOWING FULL POCKET EXPANSION
- 1 LARGE WEB LOOPS TO SLIDE OVER A BC LOBE



### MAIN FEATURES

- UNPARALLELED VERSATILITY DUE TO ITS MODULAR NATURE
- A HIGHLY TECHNICAL RIG FOR THOSE TRAINED TO PUSH LIMITS
- CAN ALSO BE SCALED DOWN TO MAKE A TRAVEL FRIENDLY SET UP SUITABLE FOR ANY DIVER.
- DESIGNED TO COMPLEMENT THE RX RANGE
- CAN BE ATTACHED TO YOUR XR HARNESS OR ANY OTHER

# BACKPLATE

## BACKPLATE STEEL

code: 417507 Backplate Stainless Steel 3mm

code: 417507 Backplate Stainless Steel 6mm



### MAIN FEATURES

- STAINLESS STEEL 3MM GRADE 316
  - LASER-CUT AND LASER-ETCHED
- 13 SLOTS
- 8 SLOTS SPECIALLY DESIGNED FOR OPTIMAL POSITIONING OF THE HARNESS WEBBING
  - 2 UPPER AND 2 LOWER SLOTS FOR NYLON CYLINDER BANDS SO A SINGLE CYLINDER CAN BE STRAPPED DIRECTLY.
  - HAVING ONLY 2 SLOTS PROVIDES ENOUGH LATERAL CYLINDER STABILITY WITHOUT WEAKENING THE STRENGTH OF THE SPINE
  - 2" WIDE CROTCH STRAP SLOT
- 15 HOLES
- 3 HOLES AT THE TOP OF THE PLATE OFFER A RANGE OF HEIGHT ADJUSTMENTS FOR THE BUOYANCY CELLS AND THE CYLINDERS. IN ADDITION, A CORRESPONDING LOWER CENTER SLOT ALLOWS FOR LOWER BAND BOLTS THAT ARE MISALIGNED
  - 4 UPPER AND LOWER PERIMETER HOLES ALONG EITHER SIDE AND 4 HOLES ALONG THE BOTTOM ALLOW FOR THE MOUNTING OF ACCESSORIES AND SIDE-MOUNT BUTT PLATE
  - BENDED LOWER EDGES
  - MARES XRS LOGO AND LASER CUT SHAPED AXIS
  - HIGHLY TECHNICAL PRE-SHAPE - UNPARALLELED VERSATILITY
  - ULTRA-RUGGED UNFOLDABLE BACKBONE
  - PUSHED TO LIMITS INTENSIVE TESTING
  - TOTAL MODULARITY: ALL HARNESSES AND ALL DONUTS/WINGS

### TECHNICAL FEATURES

Thickness	3 mm	6 mm
Weight	2,5 kg	4 kg
Compatibility	Deluxe Padding - Butt Plate	

## BACKPLATE

### BACKPLATE ALUMINUM

code: 417508 Backplate Aluminum 3mm



#### MAIN FEATURES

- 6061 MARINE GRADE ANODIZED ALUMINUM ALLOY
  - LASER-CUT AND LASER-ETCHED
- 13 SLOTS
- 8 SLOTS SPECIALLY DESIGNED FOR OPTIMAL POSITIONING OF THE HARNESS WEBBING
  - 2 UPPER AND 2 LOWER SLOTS FOR NYLON CYLINDER BANDS SO A SINGLE CYLINDER CAN BE STRAPPED DIRECTLY.
  - HAVING ONLY 2 SLOTS PROVIDES ENOUGH LATERAL CYLINDER STABILITY WITHOUT WEAKENING THE STRENGTH OF THE SPINE
  - 2" WIDE CROTCH STRAP SLOT
- 15 HOLES
- 3 HOLES AT THE TOP OF THE PLATE OFFER A RANGE OF HEIGHT ADJUSTMENTS FOR THE BUOYANCY CELLS AND THE CYLINDERS. IN ADDITION, A CORRESPONDING LOWER CENTER SLOT ALLOWS FOR LOWER BAND BOLTS THAT ARE MISALIGNED
  - 4 UPPER AND LOWER PERIMETER HOLES ALONG EITHER SIDE AND 4 HOLES ALONG THE BOTTOM ALLOW FOR THE MOUNTING OF ACCESSORIES AND SIDE-MOUNT BUTT PLATE
  - BENDED LOWER EDGES
  - MARES XRS LOGO AND LAZER CUT SHAPED AXIS
  - HIGHLY TECHNICAL PRE-SHAPE - UNPARALLELED VERSATILITY
  - ULTRA-RUGGED UNFOLDABLE BACKBONE
  - PUSHED TO LIMITS INTENSIVE TESTING
  - TOTAL MODULARITY: ALL HARNESES AND DONUTS/WINGS

#### TECHNICAL FEATURES

Thickness	3 mm
Weight	750 g
Compatibility	Deluxe Padding - Butt Plate

## BACKPLATE

### BACKPLATE SOFT

code: 417509 Backplate Soft



#### MAIN FEATURES

- 1200D "BULLETPROOF" BALLISTIC NYLON
  - POLYPHRENE HYDRO-DRAINAGE COMFORT PADDING
- 4 SLOTS
- 2 EACH UPPER AND 2 LOWER SLOTS ACCOMMODATE NYLON CYLINDER BANDS TO STRAP SINGLE CYLINDER DIRECTLY TO THE PLATE.
  - 5 DOUBLE SLIDES BARS:
  - SPECIALLY POSITIONED FOR THE OPTIMAL FITTING OF THE HARNESS WEBBING AND THE CROTCH STRAP
- 10 HOLES
- 2 CENTERED HOLES AT THE TOP AND 2 AT THE BOTTOM OFFER A RANGE OF HEIGHT ADJUSTMENTS FOR THE BUOYANCY CELLS.
  - 2 MID PERIMETER HOLES ALONG EITHER SIDE AND 4 HOLES ALONG THE BOTTOM ALLOW FOR THE MOUNTING OF ACCESSORIES AND SIDE-MOUNT BUTT PLATE
- 4 D-RINGS
- COMPLEMENTING THE SIDE HOLES
  - MARES XRS LOGO EMBROIDERED TO ENHANCE THE LOOK OF THE PLATE
  - HIGHLY TECHNICAL SHAPED - UNPARALLELED VERSATILITY
  - ULTRA-RUGGED MATERIAL - PUSHED TO LIMITS INTENSIVE TESTING
  - TOTAL MODULARITY: ALL HARNESSES AND ALL DONUTS/WINGS

#### TECHNICAL FEATURES

Weight	Ultra light
Compatibility	Deluxe Padding - Butt Plate

## BACKPLATE

## BUTTPLATE

code: 417510 Butt Plate Sidemount

- 1200D "BULLETPROOF" BALLISTIC NYLON
- POLYPHRENE HYDRO-DRAINAGE COMFORT PADDING
- 4 HOLES ALONG THE BOTTOM ALLOW FOR THE MOUNTING ON ANY HARNESS AS WELL AS ADDING ACCESSORIES
- PROVIDE THE PROPER AMOUNT OF RIGIDITY TO HOLD TANKS IN POSITION AND ELIMINATE SAG
- TWO STAINLESS STEEL 316 MARINE GRADE HANDLES USED FOR TANK ATTACHMENT



### MAIN FEATURES

- ALLOWS DIVERS WHO WISH TO TRANSFORM THEIR EXISTING HARNESS AND BUOYANCY COMPENSATING WING INTO A RIG CAPABLE OF SIDEMOUNTING TANKS.





## BLADDERS

### DONUT BLADDER SINGLE TANK

code: 417511 Donut Bladder Single Tank 10kg

code: 417511 Donut Bladder Single Tank 16kg



- DRAINS: 6 LARGE GROMMETS, 2 ON TOP AND 4 ON BOTTOM
- EXTERIOR
  - 1200D "BULLETPROOF" BALLISTIC NYLON AND 600D POLYESTER
  - INNER AIR CELL: BLACK POLYURETHANE
- ZIPPER
  - HEAVY DUTY PLASTIC ZIP AND SLIDE WITH ELONGATED TEETH
- FIXATION
  - 4 HEAVY DUTY GROMMETS POSITIONED TO FIT ALL
- INFLATOR
  - K STYLE WITH BRASS BUTTONS
  - SHORT 35" LOW PROFILE ROUND-SHAPED HOSE
  - LEFT POSITION NOT TO INTERFERE WITH 1ST STAGE
- DUMP VALVE
  - LOW PROFILE UNIQUE IN FRONT-LOWER-RIGHT SIDE, DUMP VALVE
  - "NO-PULLER" PULLER
  - TANK STABILIZER BODY SLIDE BARS

#### MAIN FEATURES

- FINEST QUALITY MATERIALS
- STYLISH DURABILITY (RESISTING TO TEARS, SCUFFS AND ABRASION) AND LIGHTWEIGHT LONG-LASTING STRENGTH
- VERY SMART AND UNIQUE DESIGN ALLOWING THE CYLINDER TO NEST INSIDE
- EXTREMELY STREAMLINED - VERY STABLE CONTINUOUS LOOP SHAPE.
- NO DRAMATIC SHIFT OF AIR FROM LEFT TO RIGHT
- TOP QUALITY ZIPPER: NOT ABRADING THE WOVEN TEXTILE TAPE, EASY HANDLING, STRONG AND DURABLE

#### TECHNICAL FEATURES

Sizes	10 kg	16 kg
-------	-------	-------

## BLADDERS

### DONUT BLADDER TWIN TANK

code: 417512 Donut Bladder Twin Tank 20kg

code: 417512 Donut Bladder Twin Tank 24kg

- DRAINS: 6 LARGE GROMMETS, 2 ON TOP AND 4 ON BOTTOM
- EXTERIOR
- 1200D "BULLETPROOF" BALLISTIC NYLON AND 600D POLYESTER
- INNER AIR CELL: BLACK POLYURETHANE
- ZIPPER
- HEAVY DUTY PLASTIC ZIP AND SLIDE WITH ELONGATED TEETH
- FIXATION
- 4 HEAVY DUTY GROMMETS POSITIONED TO FIT ALL
- INFLATOR
- K STYLE WITH BRASS BUTTONS
- SHORT 35" LOW PROFILE ROUND-SHAPED HOSE
- MID POSITION NOT TO INTERFERE WITH 1ST STAGE
- DUMP VALVE
- LOW PROFILE UNIQUE IN FRONT-LOWER-RIGHT SIDE, DUMP VALVE
- "NO-PULLER" PULLER

#### MAIN FEATURES

- FINEST QUALITY MATERIALS
- STYLISH DURABILITY (RESISTING TO TEARS, SCUFFS AND ABRASION) AND LIGHTWEIGHT LONG-LASTING STRENGTH
- EXTREMELY STREAMLINED - VERY STABLE CONTINUOUS LOOP SHAPE
- NO DRAMATIC SHIFT OF AIR FROM LEFT TO RIGHT
- TOP QUALITY ZIPPER: NOT ABRADING THE WOVEN TEXTILE TAPE, EASY HANDLING, STRONG AND DURABLE



#### TECHNICAL FEATURES

Sizes

20 kg

24 kg

## BLADDERS

### WING BLADDER TWIN TANK

code: 417513 Wing Bladder Twin Tank 20kg

code: 417513 Wing Bladder Twin Tank 24kg

- DRAINS: 4 LARGE GROMMETS, 2 ON TOP AND 2 ON BOTTOM
- EXTERIOR
- 1200D "BULLETPROOF" BALLISTIC NYLON AND 600D POLYESTER
- INNER AIR CELL: BLACK POLYURETHANE
- ZIPPER
- HEAVY DUTY PLASTIC ZIP AND SLIDE WITH ELONGATED TEETH
- FIXATION
- 4 HEAVY DUTY GROMMETS POSITIONED TO FIT ALL
- INFLATOR
- K STYLE WITH BRASS BUTTONS
- SHORT 35" LOW PROFILE ROUND-SHAPED HOSE
- MID POSITION NOT TO INTERFERE WITH 1ST STAGE
- DUMP VALVE
- LOW PROFILE UNIQUE IN FRONT-LOWER-RIGHT SIDE, DUMP VALVE
- "NO-PULLER" PULLER

#### MAIN FEATURES

- FINEST QUALITY MATERIALS
- STYLISH DURABILITY (RESISTING TO TEARS, SCUFFS AND ABRASION) AND LIGHTWEIGHT LONG-LASTING STRENGTH
- EXTREMELY STREAMLINED - VERY STABLE CONTINUOUS LOOP SHAPE
- NO DRAMATIC SHIFT OF AIR FROM LEFT TO RIGHT
- TOP QUALITY ZIPPER: NOT ABRADING THE WOVEN TEXTILE TAPE, EASY HANDLING, STRONG AND DURABLE



#### TECHNICAL FEATURES

Sizes	20 kg	24 kg
-------	-------	-------

## RIGGING ACCESSORIES

### TANK BANDS

code: 417514 Tank Bands Set Stainless Steel 7l

code: 417514 Tank Bands Set Stainless Steel 10l

code: 417514 Tank Bands Set Stainless Steel 15l


- SEAM-WELDED, MARINE-GRADE 316 STAINLESS STEEL
- STAMPED MARES XR LOGO

#### MAIN FEATURES

- CONSTRUCTED FROM WIDE, SEAM-WELDED, MARINE-GRADE 316 STAINLESS STEEL
- AVAILABLE IN 3 DIFFERENT SIZES
- SUPPLIED IN PAIRS WITH A FASTENING KIT

#### TECHNICAL FEATURES

	Cyl. Centres	Band Sizes	Cyl. Diameter & Size
<b>Small</b>	154 mm - 170 mm	160 mm centres	140 mm
<b>Medium</b>	177 mm - 193 mm	185 mm centres	171 mm
<b>Large</b>	216 mm - 232 mm	220 mm centres	204 mm



## RIGGING ACCESSORIES

### DRY SUIT INFLATION MOUNTING BAND

code: 417503 Dry Suit Inflation Mounting Band

- INFLATION TANK MOUNTING STRAP WITH BUCKLE
- FOR MOUNTING A SMALL 0,85L OR 1L STEEL AIR OR ARGON BOTTLE DIRECTLY ON A BACK PLATE.
- SUITABLE ESPECIALLY FOR COLD, DEEP, WRECK OR CAVE DIVING.
- A SECONDARY BOTTLE FILLED WITH ARGON IS THE MOST COMMON METHOD USED TO INCREASE INSULATION PROPERTIES OF THERMAL GARMENTS.
- PROVIDING QUICK, SECURE, AND LIGHTWEIGHT MOUNTING OPTION FOR DRYSUIT INFLATION SOURCES.

### STAGE RIGGING SET

code: 417518 Stage Rigging Set

- THE MOST MODULAR SYSTEM TO CARRY STAGE TANKS
- FITS ALL DIAMETERS OF TANKS
- FITS ALL LENGTH OF STAGES
- INCLUDES: 2 LARGE STAINLESS STEEL DEAD BOLT SNAP, ADJUSTABLE TANK BAND WITH STAINLESS STEEL BUCKLE AND HI-RESISTANCE CORD

### DELUXE PADDING

code: 417504 Deluxe Padding Back & Shoulders

- ADJUSTABLE SHOULDER PADS
- MOVABLE VELCRO TABS FOR A CUSTOM FIT AROUND SHOULDER D-RING AND HARNESS ACCESSORIES
- INTEGRATED STORAGE COMPARTMENT TO CARRY LIFT DEVICES
- ULTIMATE IN COMFORT AND CONVENIENCE WITHOUT SACRIFICING ANY FEATURES
- SHOULDER MOUNTED D-RINGS CAN EASILY BE MOVED TO THE DESIRED LOCATION WITHOUT AFFECTING THE SHOULDER PAD

### ELASTIC STAGE TANK STRAP

code: 417515 Elastic stage tank strap 7l

code: 417515 Elastic stage tank strap 10l

code: 417515 Elastic stage tank strap 15l





# DRYSUITS

## XR KEVLAR WITH LATEX OR SILICONE SEALS

A. code: 412030 Dry Suit Kevlar with Latex Seals

B. code: 412031 Dry Suit Kevlar with Silicone ST Seals

- A: LATEX CONIC NECK AND WRIST SEALS (ALLOWING DRY GLOVES) OR
- B: SILICONE CONIC GREY SI-TEC QUICK CONNECT WRIST AND NECK SEALS, SLT DRY SEAL ON BOTH THE WRISTS AND THE NECK (CAN BE REPLACED IMMEDIATELY BY THE USER)
- NEW EXCLUSIVE DEDICATED PURGE AND INFLATION VALVE
- NEW SUPER LIGHTER (<2,8 KG) BREATHABLE TRILAMINATE
- KEVLAR TYPE PROTECTION ON SHOULDERS, SITTING, KNEES AND SHINS
- FIT CUTLINE AND ENHANCE DESIGN FOR MAXIMUM FLEXIBILITY
- 2 YKK FRONT SHIFTED PLASTIC ZIPPERS INCLUDING NEW YKK AQUASEAL DRY
- ADJUSTABLE DRAWSTRING WAIST AND CROTCH STRAP
- ADJUSTABLE PRE-MOUNTED ELASTIC LARGE AND COMFORTABLE SUSPENDERS
- EMBEDDED BOOTS IN 4 MM NEOPRENE WITH A RIGID SOLE
- REINFORCEMENTS ON THE INSTEP AND LOOP TAPE FRAYING
- 2 FOUR-COMPARTMENT POCKETS, SELF-DRAINING, CLOSED WITH LARGE STRAP HIGH STRENGTH (INCLUDING A SMALL DOUBLE SNAP ZIPPED COMPARTMENT) AND EQUIPPED WITH MULTIPLE BUNGIES INSIDE
- TUBING ON THE DOWN END OF THE FLAP
- DRY ON THE NECK HOOD (A BOTTOM OPEN CELL LONGER SEAL JUST LIKE AROUND THE FACE)
- DEDICATED CARPET BAG

### MAIN FEATURES

- FOR EXTREMELY DEMANDING TECHNICAL DIVERS, LONG CAVE, DEEP AND WRECK DIVING.
- EXTREMELY STRONG AND DURABLE, IT IS STILL VERSATILE AND EASES ALL MOVEMENTS SUCH AS FROG KICKING AND VALVE-DRILLS.

### TECHNICAL FEATURES

Sizes	S	M	L	XL	2XL	3XL
-------	---	---	---	----	-----	-----



OPTION B



Silicone neck seals



Silicone wrists seals

## UNDERGARMENTS

### ACTIVE HEATING VEST

code: 412146 Active Heating Vest

- DOUBLE ZIP FOR COMFORT WHEN SEATED
- SUPPLIED WITH RECHARGEABLE BATTERY AND CHARGER
- ADJUSTABLE HEAT SETTING TEMPERATURE CONTROL
- 2 - 5 HOURS HEATING TIME
- HAND WASHABLE
- GARMENTS ARE NOT SUITABLE FOR PEOPLE WITH PACEMAKERS
- CREATED TO BE EVEN LIGHTER AND THINNER FOR THE DEMANDING DIVERS.
- PROVIDE HEAT TO THE BACK KIDNEY AREA AND TO EACH SIDE OF THE CHEST IN ORDER TO GIVE A FEELING OF COMPLETE WARMTH TO THE UPPER BODY

#### BATTERY PACK FEATURES

- CHARGE LEVEL AND BATTERY LEVEL INDICATOR
- 2 TYPES OF BATTERIES (UP TO 10 HOURS HEATING TIME), 4 WARMTH SETTINGS
- EU CHARGER

	Standard Garment	Double Garment
Lithium Capacity	2600mAh	5200mAh
Heating Time	2 - 5 hours	4 - 10 hours
Weight approx	125 g	235 g
Dimension	70mm x 50mm x 22mm	90mm x 70mm x 25mm
Voltage	7.4V	7.4V



#### TECHNICAL FEATURES

Sizes	XS	S	M	L	XL	2XL
Chest Size	34-36"	36-38"	38-40"	40-42"	42-44"	44-46"

## GLOVES

### AMARA GLOVES

code: 412760 Tek 2mm Amara gloves

- 3 FIRST PHALANX CUTTED FINGERS (THUMB, INDEX, MIDDLE)
- DOUBLE-LINED NEOPRENE, WITH AMARA 2MM INSERTS
- NO VELCRO STRAP
- BEST DESIGN TO MAINTAIN THE "FEEL AND TOUCH" ON FINGER ENDS FOR "BLIND" DIVING



#### TECHNICAL FEATURES

Thickness	2 mm					
Sizes	XXS	XS	S	M	L	XL



## MASKS

### ESSENCE

code: 411051 Essence mask

- ESSENCE MASK WITH NEOPRENE/NYLON STRAP

#### MAIN FEATURES

- LIQUIDSKIN FOR GREAT COMFORT AND AMPLE FIELD OF VISION
- QUICK-ADJUSTING BUCKLES ON THE SKIRT
- NEOPRENE NYLON STRAP TO AVOID THE RISK OF BREAKING
- THE STRAP IS ALSO SOLD ALONE AS AN ACCESSORY (SEE BELOW)
- LIGHT, FLAT FOLDABLE, EASY TO STORE IN A POCKET

#### TECHNICAL FEATURES

Weight

185 g



## MASK STRAP

code: 412903 Mask strap



## FINS

### POWER PLANA

code: 410050 Power Plana Tec Fin

- HIGH-QUALITY NATURAL RUBBER WITH REINFORCED STRINGERS
- MADE OF NEARLY INDESTRUCTIBLE NATURAL RUBBER, THIS HIGH PERFORMING FIN IS IDEAL FOR ALL KINDS OF KICKS BUT PARTICULARLY FROG KICKS.
- THE HIGH DENSITY MATERIAL MAKES THE FINS NEGATIVELY BUOYANT, A DESIRED FEATURE WHEN USING A DRY SUIT AND A TECH RIG WITH STEEL PLATE.
- UNLIKE COMPETITORS' FINS, THE MARES RUBBER FIN OFFERS A FULL-SHAPE FOOT POCKET.

### SPRING STRAP FOR TEK FIN

code: 415768 Spring strap for tek fin



- SPRING WITH WRAP AROUND NYLON, PULLER & SAFETY CHORD
- THE BEST SOLUTION FOR TECHNICAL AND COLD WATER DIVING
- SOLD AS A PAIR

#### TECHNICAL FEATURES

Sizes	R	XL	XXL
-------	---	----	-----



#### TECHNICAL FEATURES

Full shape foot pocket

Sizes	S	R	XL	XXL
-------	---	---	----	-----



## BAGS

### DRY BACKPACK

code: 415758 Dry Backpack

- REINFORCED BLACK PVC - HEAT-SEALED STITCHING
- QUICK CLOSURE - COMFORT PADS - CHEST BUCKLE



#### MAIN FEATURES

- FULLY WATERPROOF SACKS, IDEAL FOR KEEPING YOUR CLOTHING AND EQUIPMENT DRY.
- ON YOUR MORE RUGGED ADVENTURES THIS BACKPACK IS PERFECT TO CARRY 2 STAGES OR THE COMPLETE CAVE EQUIPMENT AND ACCESSORIES

#### TECHNICAL FEATURES

Dimension (LxWxH)	Volume
35x20x60 cm	25 L



## ACCESSORIES

### WETNOTES

code: 415762 Wetnotes incl. Pen & Straps

- COVER MADE FROM DURABLE 2250D PU COATED BALLISTIC NYLON
- CLEAR-WINDOW POCKETS ON THE INSIDE AND OUTSIDE WITH VELCRO CLOSURE OF THE BACK COVER FOR IMPORTANT ITEMS SUCH AS TABLES, CHECKLIST, COMPASS ETC. AND INNER FRONT COVER INSIDE POCKET
- CONTAINS 23 PAGES OF REUSABLE WATERPROOF PLASTIC FOIL SHEATHS (W/ 6 TABLES)
- MATERIAL: REPLACEABLE PLASTIC FOIL SHEATHS WITH 1000 DENIER NYLON COVER
- ELASTIC PENCIL HOLDERS + STORAGE SPACE FOR PENCIL + GRAPHITE PENCIL
- ELASTIC BOOKMARK ALLOWS TO MARK A SHEATH FOR QUICK REFERENCE
- ELASTIC SECURE CLOSURE LOOP
- ELASTIC SHOCKCORD ATTACHMENT FOR BOLT SNAP

#### MAIN FEATURES

- WATER RESISTANT NOTEBOOK.
- IDEAL FOR UNDERWATER COMMUNICATION, FOR DECOSTOPS AND FOR MAKING NOTES

#### TECHNICAL FEATURES

Dimension Close	200 mm x 125 mm x 15 mm
Dimension Open	200 mm x 250 mm x 15 mm



## ACCESSORIES

### HAND COMPASS

code: 414604 Hand compass - Navigation (North)

code: 414604 Hand compass - Navigation (South)

- COMPASS WITH BUNGEE HOLDER AND EXTRA LONG ELASTOMERIC BUNGEE CORDS
- SIDE AND TOP READING
- LUMINESCENT "GLOW IN THE DARK" INTERNAL DIAL
- DUAL ROTATING INDEX MARKS FOR EASIER RECIPROCAL NAVIGATION
- OVERSIZED FOR EXTREME USE (LOW VISIBILITY, CAVE, NIGHT...)



## ACCESSORIES

### DEAD BOLT SNAP

code: **415765 Dead Bolt Snap Stainless Steel**

- HIGH QUALITY MARINE GRADE 316 STAINLESS STEEL
- MARES XR LASER ENGRAVED



#### MAIN FEATURES

- RESIST CORROSION AND RUSTING
- SWIVELING BASES MAKING THEM EASY TO USE
- SMALL SNAPS ARE IDEAL FOR ATTACHING TO ITEMS YOU CAN SEE, E.G. BACK UP LIGHTS, REGULATOR LONG HOSE, CANISTER LIGHT, SPG, ETC...
- LARGE SNAPS ARE GREAT FOR COLD WATER USE WHERE THICK GLOVES MAKE MANIPULATION DIFFICULT, STAGE TANKS

#### TECHNICAL FEATURES

Sizes	75 mm	120 mm
-------	-------	--------

### DOUBLE ENDER

code: **415766 Double Ender Stainless Steel**

- HIGH QUALITY MARINE GRADE 316 STAINLESS STEEL
- MARES XR LASER ENGRAVED



#### MAIN FEATURES

- RESIST CORROSION AND RUSTING
- EASY AND SMOOTH TO USE EVEN WITH DRY GLOVES
- 3 SIZES AVAILABLE  
TO CLIP AWAY GEAR INSIDE DRY SUIT POCKETS  
TO TEMPORARILY STOW A CANISTER LIGHT HEAD  
TO ATTACH A PRIMARY REEL OR A SPOOL OR WET NOTES OR A SPARE MASK AND  
USE A STAGE LEASH, ETC...

#### TECHNICAL FEATURES

Sizes	90 mm	100 mm	120 mm
-------	-------	--------	--------

# LINEs AND MARKERS

## CAVE LINES

- INJECTION MOLDED ABS
- SUPPLIED IN PACKS OF 5
- MADE IN ABS FOR DURABILITY
- UNIQUE TECHNICAL DESIGN WITH:
  - CORNERS REMOVED FOR EASE OF USE, LINE GUIDING CURVES AND GROOVES, HOLES FOR RING/IDENTIFIER CLIPPING, DEDICATED SURFACE FOR MARKING
- USED FOR ORIENTATION AS A VISUAL AND TACTILE REFERENCE ON A GUIDELINE
- 3 DIFFERENT TYPES ARE AVAILABLE:
  - LINE ARROWS TO INDICATE DIRECTION, COOKIES TO DENOTE A JUNCTION, NON-DIRECTIONAL MARKERS REFERENCE A SPECIFIC SPOT

### CAVE LINE MARKERS

code: 415761 Cave Line Markers



WH



OR



GN

### CAVE LINE COOKIES

code: 415760 Cave Line Cookies



WH



OR



GN

### CAVE LINE ARROWS


code: 415759 Cave Line Arrows



WH



OR



GN



# LINES AND MARKERS

## SPOOL

code: 415764 Spool Stainless Steel

- STAINLESS STEEL MARINE GRADE 316
- LINE: ELDELRID
- DOUBLE ENDER: 316 STAINLESS STEEL

### MAIN FEATURES

- TECHNICAL DIVING BUT VERSATILE ENOUGH TO BE USED IN A RANGE OF DIVING APPLICATIONS
- UNIQUE FLARED DESIGN TO ALLOW EASE OF WINDING WHILST WEARING GLOVES
- A LARGE DIAMETER CENTER HOLE FOR USE IN COLD WATER WHILST WEARING GLOVES.
- RUGGED CONSTRUCTION. WELDED STAINLESS STEEL MARINE GRADE 316
- SPOOL IS NOT OVER-WOUND, ENABLING ADDITIONAL LINE TO BE ADDED IF REQUIRED.
- INCLUDES 316 STAINLESS STEEL DOUBLE ENDER
- EASY-RELEASE PULL TABS
- HIGH QUALITY, HIGH VISIBILITY LINE FOR LOW LIGHT CONDITIONS
- COMPLEMENTED BY A RANGE OF LINE MARKERS AND COOKIES

### TECHNICAL FEATURES

Sizes	15 m	30 m	45 m
-------	------	------	------



# LINES AND MARKERS

## REEL

code: 415767 Reel

- 6061 MARINE GRADE ANODIZED ALUMINUM ALLOY HANDLE
- HARD-COAT FINISHED
- PRECISION-FIT HANDLE - DELRIN FLARES PRECISELY ADJUSTED
- KNURLED STAINLESS STEEL 316 MARINE LOCK-DOWN SCREW
- STAINLESS STEEL 316 MARINE DOUBLE ENDED BOLT SNAP
- WHITE BRAIDED NYLON LINE
- COLD WATER / DRY GLOVES PULLER

### MAIN FEATURES

- DESIGNED FOR WRECKS AND CAVES DEMANDING DIVES
- EXCELLENT QUALITY AND PROVEN OPTIMIZED DESIGN - ENTANGLEMENT FREE
- THOUSANDS OF HOURS OF TESTING IN RECREATIONAL, TECHNICAL, AND CAVE DIVING ENVIRONMENTS
- CONSISTENTLY PROVEN RELIABILITY WITH A UNIQUE AND TROUBLE-FREE DESIGN - MADE FOR COLD WATERS

### TECHNICAL FEATURES

Sizes	122 m - 400"	244 m - 800"
-------	--------------	--------------



# LIFT AND MARKING BUOYS

## SMBS


code: 415755 SMB Regular

code: 415756 SMB Emergency

- 15CM WIDE - 1.8M LONG - 12KG LIFT
- WELDED AND DOUBLE STITCHED
- TOP TRANSPARENT WET NOTES/CALUMET SLIDING AREA
- MARKED WITH COAST GUARD APPROVED SOLAS REFLECTIVE TAPE
- AVAILABLE IN ORANGE (STANDARD) OR YELLOW (EMERGENCY)
- ONE-WAY VALVE FOR LP CONNECTOR OR 1 BREATH INFLATION
- STAINLESS STEEL D-RING AND BUNGEE ATTACHED
- OVER-PRESSURE VALVE (OPV)

### MAIN FEATURES

- INTEGRATED PRESSURE-RELIEF VALVE, ALLOWING THEM TO BE DEPLOYED FROM DEPTH
- ONE-WAY VALVE FOR ORAL INFLATE OR LP HOSE CONNECTION - EASILY INFLATED AT DEPTH
- AVAILABLE IN YELLOW OR ORANGE: ONE COLOR TO MARK POSITION AND ONE TO MARK EMERGENCIES
- INFLATE AT THE SURFACE TO ATTRACT ATTENTION OR AT DEPTH TO SEND UP AS A SURFACE MARKER.
- REFLECTIVE TAPES ON THE TOP
- DEDICATED TOP TRANSPARENT WET NOTES SLIDING AREA
- WHEN DEFLATED FITS IN A THIGH POCKET OR BACKPLATE STORAGE AREA



# LIFT AND MARKING BUOYS


## LIFT BAG

code: 415757 Lift Bag

- WELDED AND DOUBLE STITCHED
- 30KG / 80 LB LIFT CAPACITY
- AVAILABLE ONLY IN SAFETY-ORANGE COLOR EASY TO SPOT BY SURFACE OR AIR TRAFFIC
- ONE-WAY VALVE FOR LP CONNECTOR
- STAINLESS STEEL D-RING ON TOP AND BOTTOM AND BUNGEE ATTACHED ON THE BOTTOM
- OVER-PRESSURE VALVE (OPV) ALLOWS FOR PRECISE ADJUSTMENT DURING LIFT OPERATIONS WITH LONG PULLER

### MAIN FEATURES

- ESSENTIAL FOR A RANGE OF DIVING ACTIVITIES: FROM SALVAGE AND SIGNALING TO REDUNDANT LIFT AND EMERGENCY FLOTATION
- PROVIDES THE MOST RELIABLE SOURCE OF REDUNDANT BUOYANCY AT DEPTH OR ON THE SURFACE
- ELIMINATES THE CHANCE THAT GAS WILL ESCAPE FROM YOUR LIFT BAG DURING ASCENT OR WHILE ON THE SURFACE



# XR

## ADVANCE YOUR SKILLS.





# EXTEND YOUR RANGE OF EMOTIONS.



## Learn and master new expertise taking you farther, deeper, and beyond.

Consider extending your range just beyond what we currently know. Descend a little deeper, explore slightly farther, experience that new emotion of adventure. The bridge from recreational to technical diving is narrower than ever before. Mares' new line of products specifically bridges this gap and more. While equipment is a necessary tool, proper training is a must to safely and comfortably achieve your new goals. Most training agencies including SSI's XR program have excellent modules. Extended Range programs simply enhance and build upon your existing knowledge, skills and experience. The training will provide you with the skills to dive safely and with more confidence.

This is your chance to discover new horizons, and Mares looks forward to being a part of the experience with you!



#### **PHOTO CREDITS**

Alberto Balbi, Mikhail Semenov, Axel Weiss

Testimonial Photos

Andreas Kron, Stina Boman, Darren Hubble (Creative Images),  
Ben Reymenants, Leigh Cunningham

Product Photos

Massimiliano Eleota, Adv Consulting



Mares S.p.A.

Salita Bonsen 4 - P.O. Box 142 - 16035 Rapallo (Genova) Italy

tel. +39.0185.2011 - fax +39.0185.201.470